ELSEVIER

Neuroscience Letters 321 (2002) 192–195

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 321

Aikawa, Y., see Kurosawa, M., 145
Åkesson, E., see Eriksson, M., 177
Akhisaroglu, M., see Genc, S., 73
Akisada, M., see Oka, T., 141
Alekseyenko, O.V., see Filipenko, M.L., 25
Alonso, M.T., see Carnicero, E., 149
Arakawa, A., see Ohtani, Y., 173
Armendariz-Borunda, J., see Beas-Zárate, C., 9

Bai, J., Nakamura, H., Hattori, I., Tanito, M., Yodoi, J., Thioredoxin suppresses 1-methyl-4-phenylpyridinium-induced neurotoxicity in rat PC12 cells, 81
Barnekow, A., see Kremerskothen, J., 153
Beas-Zárate, C., Flores-Soto, M.E., Armendariz-Borunda, J., NMDAR-2C and 2D subunits gene expression is induced in brain by neonatal exposure of monosodium L-glutamate to adult rats, 9
Beilina, A.G., see Filipenko, M.L., 25
Bellido, I., Gomez-Luque, A., Plaza, A., Rius, F., Ortiz, P., Sanchez de la Cuesta, F., *S*-adenosyl-L-methionine prevents 5-HT_{1A} receptors up-regulation induced by acute imipramine in the frontal cortex of the rat, 110
Benedikz, E., see Eriksson, M., 177
Birkestrand, B., see Moss, S.J., 53
Boakye, M., Krauss, B.R., Huckins, S.C., Zhang, L., Szeverenyi, N.M., Hodge Jr., C.J., Effects of hyperoxia on human sensorimotor cortex activity produced by electrical stimulation of the median nerve: a functional magnetic resonance imaging study, 5
Borlongan, C.V., see Stahl, C.E., 85
Brandt, S.A., see Irlbacher, K., 129
Brandt, S.-A., see Pascual-Leone, A., 127
Brodie, M.J., see Santangeli, S., 33
Brown, W.T., see Sadowski, M., 90
Bulat, M., see Zmajević, M., 123

Cairns, N.J., see Kim, S.H., 169
Carnicero, E., Knipper, M., Tan, J., Alonso, M.T., Schimmang, T., Herpes simplex virus type 1-mediated transfer of neurotrophin-3 stimulates survival of chicken auditory sensory neurons, 149
Chalon, S., see Kodas, E., 95
Chen, J., see Luo, C., 17
Cheng, S.-C., see Huang, L.-T., 137
Cheon, M.S., see Kim, S.H., 169
Chlan-Fourney, J., see Xu, H., 65

Dahlstrom, A., see Wang, Z., 37
Danscher, G., see Wang, Z., 37
Date, Y., see Lu, S., 157
Déglise, P., Grünewald, B., Gauthier, M., The insecticide imidacloprid is a partial agonist of the nicotinic receptor of honeybee Kenyon cells, 13
de Louw, A.J.A., de Vente, J., Steinbusch, H.P.J., Steinbusch, H.W.M., Troost, J., Vles, J.S.H., Baclofen inhibits ANP-mediated cyclic GMP synthesis in the rat cervical spinal cord, 120
de Vente, J., see de Louw, A.J.A., 120
Dheen, S.T., see Shoba, T., 41
Diaz, F.G., see Pilitsis, J.G., 1
Dolgov, V.V., see Filipenko, M.L., 25
Dunker, J., see Eriksson, M., 177
Durand, G., see Kodas, E., 95

Einhäupl, K.M., see Pascual-Leone, A., 127
Ejima, Y., see Ohtani, Y., 173
Eriksson, M., Nilsson, A., Froelich-Fabre, S., Åkesson, E., Dunker, J., Seiger, Å., Folkesson, R., Benedikz, E., Sundström, E., Cloning and expression of the human *N*-methyl-D-aspartate receptor subunit NR3A, 177

Ferrer, I., Lizcano, J.M., Hernández, M., Unzeta, M., Overexpression of semicarbazide sensitive amine oxidase in the cerebral blood vessels in patients with Alzheimer's disease and cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy, 21
Ferrer, I., see Puig, B., 182
Filipenko, M.L., Beilina, A.G., Alekseyenko, O.V., Dolgov, V.V., Kudryavtseva, N.N., Repeated experience of social defeats increases serotonin transporter and monoamine oxidase A mRNA levels in raphe nuclei of male mice, 25
Flores-Soto, M.E., see Beas-Zárate, C., 9
Folkesson, R., see Eriksson, M., 177
Fountoulakis, M., see Kim, S.H., 169
Fowler, S.C., see Moss, S.J., 53
Froelich-Fabre, S., see Eriksson, M., 177
Fu, S.N., Hui-Chan, C.W.Y., Mental set can modulate response onset in the lower limb muscles to falls in humans, 77
Fujita, N., see Tanaka, K.-i., 45
Furue, H., see Luo, C., 17
Furukawa, T., see Nakashima, T., 161

Garcia-Estrada, J., see Gonzalez-Perez, O., 100
Gauthier, M., see Déglise, P., 13
Genc, K., see Genc, S., 73
Genc, S., Akhisaroglu, M., Kuralay, F., Genc, K., Erythropoietin restores glutathione peroxidase activity in 1-methyl-4-phenyl-1,2,5,6-tetrahydropyridine-induced neurotoxicity in C57BL mice and stimulates murine astroglial glutathione peroxidase production in vitro, 73
Gomez-Luque, A., see Bellido, I., 110
Gomez-Pinedo, U., see Gonzalez-Perez, O., 100
Gonzalez-Castañeda, R.E., see Gonzalez-Perez, O., 100
Gonzalez-Perez, O., Gonzalez-Castañeda, R.E., Huerta, M., Luquin, S., Gomez-Pinedo, U., Sanchez-Almaraz, E., Navarro-Ruiz, A., Garcia-Estrada, J., Beneficial effects of α-lipoic acid plus vitamin E on neuro-

PII: S0304-3940(02)00185-4

logical deficit, reactive gliosis and neuronal remodeling in the penumbra of the ischemic rat brain, 100
Goto, N., see Lu, S., 157
Grünewald, B., see Déglise, P., 13
Guan, J.-L., see Lu, S., 157
Guilloteau, D., see Kodas, E., 95

Hashimoto, S., see Ikeda, K., 133
Hattori, I., see Bai, J., 81
Hayashi, A., see Ikeda, K., 133
Hernández, M., see Ferrer, I., 21
Hodge Jr., C.J., see Boakye, M., 5
Hori, H., see Matsumoto, C., 165
Huang, L.-T., Liou, C.-W., Yang, S.N., Lai, M.-C., Hung, P.-L., Wang, T.-J., Cheng, S.-C., Wu, C.-L., Aminophylline aggravates long-term morphological and cognitive damages in status epilepticus in immature rats, 137
Huckins, S.C., see Boakye, M., 5
Huerta, M., see Gonzalez-Perez, O., 100
Hui-Chan, C.W.Y., see Fu, S.N., 77
Hung, P.-L., see Huang, L.-T., 137

Ikeda, K., Hayashi, A., Hashimoto, S., Otomo, K., Kanno, A., Asymmetrical mismatch negativity in humans as determined by phonetic but not physical difference, 133
Irlbacher, K., Meyer, B.-U., Voss, M., Brandt, S.A., Röricht, S., Spatial reorganization of cortical motor output maps of stump muscles in human upper-limb amputees, 129
Itohara, S., see Nishiyama, H., 49

Jakubowska-Sadowska, K., see Sadowski, M., 90
Jo, S.M., see Wang, Z., 37

Kangawa, K., see Lu, S., 157
Kanno, A., see Ikeda, K., 133
Kato, K., see Oka, T., 141
Keegan, D., see Xu, H., 65
Kim, H.-M., see Kim, M.-S., 105
Kim, M.-S., Sung, M.-J., Seo, S.-B., Yoo, S.-J., Lim, W.-K., Kim, H.-M., Water-soluble chitosan inhibits the production of pro-inflammatory cytokine in human astrocytoma cells activated by amyloid β peptide and interleukin-1β, 105
Kim, S.H., Krapfenbauer, K., Cheon, M.S., Fountoulakis, M., Cairns, N.J., Lubec, G., Human brain cytosolic histamine-N-methyltransferase is decreased in Down syndrome and increased in Pick's disease, 169
Kim, Y.K., see Wang, Z., 37
Kiyohara, T., see Nakashima, T., 161
Klarica, M., see Zmajević, M., 123
Knipper, M., see Carnicero, E., 149
Kodas, E., Page, G., Zimmer, L., Vancassel, S., Guilloteau, D., Durand, G., Chalon, S., Neither the density nor function of striatal dopamine transporters were influenced by chronic n-3 polyunsaturated fatty acid deficiency in rodents, 95
Kojima, M., see Lu, S., 157
Krapfenbauer, K., see Kim, S.H., 169
Krauss, B.R., see Boakye, M., 5
Kremerskothen, J., Wendholt, D., Teber, I., Barnekow, A., Insulin-induced expression of the activity-regulated cytoskeleton-associated gene (ARC) in human neuroblastoma cells requires $p21^{ras}$, mitogen-activated protein kinase/extracellular regulated kinase and *src* tyrosine kinases but is protein kinase C-independent, 153
Kudelić, N., see Zmajević, M., 123
Kudryavtseva, N.N., see Filipenko, M.L., 25
Kumamoto, E., see Luo, C., 17
Kuralay, F., see Genc, S., 73
Kurosawa, M., Unno, T., Aikawa, Y., Yoneda, M., Neural regulation of hepatic blood flow in rats: an in vivo study, 145

Lai, M.-C., see Huang, L.-T., 137
Lazarewicz, J.W., see Sadowski, M., 90
Lazarski, J.P., Ridding, M.C., Miles, T.S., Dexterity is not affected by fatigue-induced depression of human motor cortex excitability, 69
Li, X.-M., see Xu, H., 65
Lim, W.-K., see Kim, M.-S., 105
Liou, C.-W., see Huang, L.-T., 137
Lizcano, J.M., see Ferrer, I., 21
Lu, S., Guan, J.-L., Wang, Q.-P., Uehara, K., Yamada, S., Goto, N., Date, Y., Nakazato, M., Kojima, M., Kangawa, K., Shioda, S., Immunocytochemical observation of ghrelin-containing neurons in the rat arcuate nucleus, 157
Lu, W., see Xu, H., 65
Lubec, G., see Kim, S.H., 169
Luo, C., Kumamoto, E., Furue, H., Chen, J., Yoshimura, M., Anandamide inhibits excitatory transmission to rat substantia gelatinosa neurones in a manner different from that of capsaicin, 17
Luquin, S., see Gonzalez-Perez, O., 100

Makino, S., see Nakashima, T., 161
Maruyama, W., Oya-Ito, T., Shamoto-Nagai, M., Osawa, T., Naoi, M., Glyceraldehyde-3-phospate dehydrogenase is translocated into nuclei through Golgi apparatus during apoptosis induced by 6-hydroxydopamine in human dopaminergic SH-SY5Y cells, 29
Matsumoto, C., Ohmori, O., Hori, H., Shinkai, T., Nakamura, J., Analysis of association between the Gln192Arg polymorphism of the paraoxonase gene and schizophrenia in humans, 165
Meulemans, A., A brain nitric oxide synthase study in the rat: production of a nitroso-compound NA and absence of nitric oxide synthesis, 115
Meyer, B.-U., see Irlbacher, K., 129
Miles, T.S., see Lazarski, J.P., 69
Miyata, S., see Nakashima, T., 161
Miyazaki, I., see Tanaka, K.-i., 45
Moss, S.J., Birkestrand, B., Fowler, S.C., The neuroimmunophilin GPI-1046 partially protects against 3-acetylpyridine toxicity in the rat, 53
Mossakowski, M.J., see Sadowski, M., 90
Murayama, M., see Sun, X., 61
Murayama, O., see Sun, X., 61

Nakamura, H., see Bai, J., 81
Nakamura, J., see Matsumoto, C., 165
Nakashima, T., Noguchi, T., Furukawa, T., Yamasaki, M., Makino, S., Miyata, S., Kiyohara, T., Brain oxytocin augments stress-induced long-lasting plasma adrenocorticotropic hormone elevation in rats, 161
Nakazato, M., see Lu, S., 157
Naoi, M., see Maruyama, W., 29
Navarro-Ruiz, A., see Gonzalez-Perez, O., 100
Nilsson, A., see Eriksson, M., 177
Nishiyama, H., Takemura, M., Takeda, T., Itohara, S., Normal development of serotonergic neurons in mice lacking S100B, 49
Noguchi, T., see Nakashima, T., 161

Ogawa, N., see Tanaka, K.-i., 45
Ohmori, O., see Matsumoto, C., 165

Ohtani, Y., Okamura, S., Shibasaki, T., Arakawa, A., Yoshida, Y., Toyama, K., Ejima, Y., Magnetic responses of human visual cortex to illusory contours, 173
Oka, T., Akisada, M., Okabe, A., Sakurai, K., Shiosaka, S., Kato, K., Extracellular serine protease neuropsin (KLK8) modulates neurite outgrowth and fasciculation of mouse hippocampal neurons in culture, 141
Okabe, A., see Oka, T., 141
Okamura, S., see Ohtani, Y., 173
O'Regan, M.H., see Pilitsis, J.G., 1
Ortiz, P., see Bellido, I., 110
Osawa, T., see Maruyama, W., 29
Otomo, K., see Ikeda, K., 133
Oya-Ito, T., see Maruyama, W., 29

Page, G., see Kodas, E., 95
Park, J.-M., see Sun, X., 61
Pascual-Leone, A., Einhäupl, K.M., Brandt, S.-A., Obituary for Bernd-Ulrich Meyer and Simone Röricht, 127
Phillis, J.W., see Pilitsis, J.G., 1
Pilitsis, J.G., Diaz, F.G., O'Regan, M.H., Phillis, J.W., Inhibition of mitochondrial Na^+/Ca^{2+} exchange by 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3H)-one attenuates free fatty acid efflux in rat cerebral cortex during ischemia-reperfusion injury, 1
Plaza, A., see Bellido, I., 110
Puig, B., Ferrer, I., Caspase-3-associated apoptotic cell death in excitotoxic necrosis of the entorhinal cortex following intraperitoneal injection of kainic acid in the rat, 182

Qing, H., see Xu, H., 65

Rajgopal, Y., Vemuri, M.C., Calpain activation and α-spectrin cleavage in rat brain by ethanol, 187
Redei, E., see Stahl, C.E., 85
Richardson, J.S., see Xu, H., 65
Ridding, M.C., see Lazarski, J.P., 69
Rius, F., see Bellido, I., 110
Röricht, S., see Irlbacher, K., 129

Sadowski, M., Lazarewicz, J.W., Jakubowska-Sadowska, K., Wisniewski, H.M., Mossakowski, M.J., Brown, W.T., Long-term changes in calbindin D_{28K} immunoreactivity in the rat hippocampus after cardiac arrest, 90
Sakurai, K., see Oka, T., 141
Sanchez de la Cuesta, F., see Bellido, I., 110
Sanchez-Almaraz, E., see Gonzalez-Perez, O., 100
Santangeli, S., Sills, G.J., Stone, T.W., Brodie, M.J., Differential effects of remacemide and desglycinyl-remacemide on epileptiform burst firing in the rat hippocampal slice, 33
Sato, S., see Sun, X., 61
Schimmang, T., see Carnicero, E., 149
Schmithorst, V.J., Wilke, M., Differences in white matter architecture between musicians and non-musicians: a diffusion tensor imaging study, 57
Seiger, Å., see Eriksson, M., 177
Seo, S.-B., see Kim, M.-S., 105
Shamoto-Nagai, M., see Maruyama, W., 29
Shibasaki, T., see Ohtani, Y., 173
Shinkai, T., see Matsumoto, C., 165
Shioda, S., see Lu, S., 157
Shiosaka, S., see Oka, T., 141
Shoba, T., Dheen, S.T., Tay, S.S.W., Retinoic acid influences Phox2 expression of cardiac ganglionic cells in the developing rat heart, 41
Sills, G.J., see Santangeli, S., 33
Stahl, C.E., Redei, E., Wang, Y., Borlongan, C.V., Behavioral, hormonal and histological stress markers of anxiety-separation in postnatal rats are reduced by prepro-thyrotropin-releasing hormone 178–199, 85
Steinbusch, H.P.J., see de Louw, A.J.A., 120
Steinbusch, H.W.M., see de Louw, A.J.A., 120
Stone, T.W., see Santangeli, S., 33
Sun, X., Sato, S., Murayama, O., Murayama, M., Park, J.-M., Yamaguchi, H., Takashima, A., Lithium inhibits amyloid secretion in COS7 cells transfected with amyloid precursor protein C100, 61
Sundström, E., see Eriksson, M., 177
Sung, M.-J., see Kim, M.-S., 105
Szeverenyi, N.M., see Boakye, M., 5

Takashima, A., see Sun, X., 61
Takeda, T., see Nishiyama, H., 49
Takemura, M., see Nishiyama, H., 49
Tan, J., see Carnicero, E., 149
Tanaka, K.-i., Yoshioka, M., Miyazaki, I., Fujita, N., Ogawa, N., GPI1046 prevents dopaminergic dysfunction by activating glutathione system in the mouse striatum, 45
Tanito, M., see Bai, J., 81
Tay, S.S.W., see Shoba, T., 41
Teber, I., see Kremerskothen, J., 153
Toyama, K., see Ohtani, Y., 173
Troost, J., see de Louw, A.J.A., 120

Uehara, K., see Lu, S., 157
Unno, T., see Kurosawa, M., 145
Unzeta, M., see Ferrer, I., 21

Vancassel, S., see Kodas, E., 95
Varda, R., see Zmajević, M., 123
Vemuri, M.C., see Rajgopal, Y., 187
Vles, J.S.H., see de Louw, A.J.A., 120
Voss, M., see Irlbacher, K., 129

Wang, Q.-P., see Lu, S., 157
Wang, T.-J., see Huang, L.-T., 137
Wang, Y., see Stahl, C.E., 85
Wang, Z., Danscher, G., Kim, Y.K., Dahlstrom, A., Jo, S.M., Inhibitory zinc-enriched terminals in the mouse cerebellum: double-immunohistochemistry for zinc transporter 3 and glutamate decarboxylase, 37
Wendholt, D., see Kremerskothen, J., 153
Wilke, M., see Schmithorst, V.J., 57
Wisniewski, H.M., see Sadowski, M., 90
Wu, C.-L., see Huang, L.-T., 137

Xu, H., Qing, H., Lu, W., Keegan, D., Richardson, J.S., Chlan-Fourney, J., Li, X.-M., Quetiapine attenuates the immobilization stress-induced decrease of brain-derived neurotrophic factor expression in rat hippocampus, 65

Yamada, S., see Lu, S., 157
Yamaguchi, H., see Sun, X., 61
Yamasaki, M., see Nakashima, T., 161
Yang, S.N., see Huang, L.-T., 137
Yodoi, J., see Bai, J., 81

Yoneda, M., see Kurosawa, M., 145
Yoo, S.-J., see Kim, M.-S., 105
Yoshida, Y., see Ohtani, Y., 173
Yoshimura, M., see Luo, C., 17
Yoshioka, M., see Tanaka, K.-i., 45
Zhang, L., see Boakye, M., 5
Zimmer, L., see Kodas, E., 95
Zmajević, M., Klarica, M., Varda, R., Kudelić, N., Bulat, M., Elimination of phenolsulfonphthalein from the cerebrospinal fluid via capillaries in central nervous system in cats by active transport, 123